Index to Volume 25, 1988

ABEELE A-M VAN DEN *see* VAN DEN ABEELE A-M

ABERNETHY MH, SELLMAN JD and STEPHENSON EG: Erythrocyte acetylcholinesterase in alcoholics: correspondence **444**

ABUKINESHA R *see* GALLACHER G *et al.*

Acetylcholinesterase
- erythrocyte, in alcoholics: correspondence **444**
- immunoassay for antenatal diagnosis of neural tube defects **569**

Acidification response to ammonium chloride **403**

Acridinium ester labelled antigen, chemiluminescence immunoassay for progesterone in plasma **27**

Acute phase proteins, relative merits in recognition of inflammatory conditions **60**

ADDISON GM *see* WORTHINGTON DJ *et al.*

AGNEW JE *see* FONSECA V *et al.*

AHERNE GW *see* MIDDLETON BA *et al.*

AL-AWQATI MA and HASSAN M: Deprecating the diagnostic significance of free thyroxine levels in human serum: personal view **335**

ALAGHBAND-ZADEH J *see* EDEN JA *et al.*

Albumin
- serum, bromocresol green or bromocresol purple **417**
  measurement in nephrotic syndrome: correspondence **445**
- urine measurement by end-point immunonephelometry: short report **442**

ALBUTT EC *see* KRENTZ AJ *et al.*

Alcoholics, erythrocyte acetylcholinesterase: correspondence **444**

ALDHOUS ME and ARENDT J: Radioimmunoassay for 6-sulphatoxymelatonin in urine using an iodinated tracer **298**

Alkaline phosphatase plasma activity, and haemolysis: short report **192**

Allergen-specific IgE assays, and total immunoglobulin E: correspondence **195**

Alpha-1-antitrypsin concentrations in various S and Z phenotypes, effect of acute phase response or pregnancy **255**

Alphafetoprotein, maternal serum, assays, quality of performance, United Kingdom, 1980–87 **310**

ALSTON WC *see* FRY IDR *et al.*

Aluminium, serum measurement by DC plasma emission spectrometry **169**

Amerlite thyrotrophin assay: correspondence **194**

Ames Award-Winning Lecture, 1987, A study of the hypouricaemic effect of tiaprofenic acid **595**

Amino acid disorders, practical approach to investigation: review article **129**

Ammonia, plasma, when to measure: review article **199**

Ammonium chloride, acidification response **403**

Amniotic fluid, neurone specific enolase, potential marker of anencephaly **85**

Amylase activity, serum, determination, commutability of control materials in new method **424**

Androgen, free
- elevated index, indicator of polycystic ovaries **346**
- index, normal ovaries **350**
  and salivary, and oral contraceptives containing desogestrel or levonorgestrel **354**

Anencephaly
- maternal serum neurone specific enolase in diagnosis **668**
- neurone specific enolase in amniotic fluid, potential marker **85**

Antenatal detection of placental steroid sulphatase deficiency by measurement of urinary 16α-hydroxydehydroepiandrosterone sulphate **155**

Antisera, performance in radioimmunoassay, effect of storage temperature and physical state **89**

Apolipoprotein E phenotyping, using chemical precipitation procedures, pro-apolipoprotein A-I interference **638**

ARENDT J *see* ALDHOUS ME and ARENDT J

ARGYLE JC *see* RUDY JL *et al.*

ARMSTON AE, IVERSEN SA and BURKE JF: Diagnosis of familial hypercholesterolaemia using DNA probes for the low-density lipoprotein (LDL) receptor gene **142**

ASHBY JP and THAKKAR H: Diagnostic limitations of region-specific parathyroid hormone assays in the investigation of hypercalcaemia **275**
see also NEWMAN DJ and ASHBY JP

AWQATI MA AL- *see* AL-AWQATI MA

AYERS GJ *see* BURNETT D *et al.*

BACCHUS RA, BULLOCK DG, NOY GA and WHITEHEAD TP: The Middle East external quality assessment scheme for clinical chemistry **560**
see also FLETCHER SJ and BACCHUS RA

BACON RRA *see* SETH J *et al.*

BAILEY MP *see* ROCKS BF *et al.*

BAINES M and DAVIES G: The evaluation of erythrocyte thiamin diphosphate as an indicator of thiamin status in man, and its comparison with erythrocyte transketolase activity measurements **698**

BAKER SG *see* SEFTEL HC *et al.*

BALLANTYNE FC, BORLAND W, BIRRELL RC and DAVIDSON H: Haemolysis and plasma alkaline phosphatase activity: short report **192**
see also CRUICKSHANK AM *et al.*

BANKSON DD, RIFAI N and SILVERMAN LM: Immunoturbidimetric measurement of serum retinol-binding protein in renal and hepatic disease **246**

BANNISTER P, SHAPIRO L, FAYE S and BOLTON R: A simplified scheme for the investigation of thyroid function in chronic liver disease **373**

BARGE A *see* MONSON JP *et al.*

BARR AE, COLE DA and CLAGUE AE: The effect of an acute phase response or pregnancy on plasma alpha-1-antitrypsin concentrations in persons with various S and Z phenotypes **255**

BARTELS PC, HELLEMAN PW and SOONS JBJ: Evaluation of red blood cell size distribution histograms: the fraction of microcytes **680**
ROIJERS AFM and SOONS JBJ: Some effects on light scattering intensity and red blood cell size distribution histograms due to sphering **673**
BEAUFORT CE DE *see* DE BEAUFORT CE
Bedside testing *see* Near-patient testing facilities
BENRAAD TJ *see* SWINKELS LMJW *et al.*
BERRY DJ *see* ROWE DJF *et al.*
BERTRAM VMR *see* ROCKS BF *et al.*
Beta-2 microglobulin, immunoturbidimetric measurement in serum and plasma on centrifugal analyser **67**
BICKNELL EJ and VAN'T HOFF W: The use of an intact molecule parathyroid hormone assay in disorders of calcium metabolism **367**
Bilirubin
oxidase, investigation to measure apparent unbound bilirubin concentration in human plasma **73**
total, external quality assessment scheme **78**
BINGHAM SA, WILLIAMS R, COLE TJ, PRICE CP and CUMMINGS JH: Reference values for analytes of 24-h urine collections known to be complete **610**
BIRRELL RC *see* BALLANTYNE FC *et al.*
BLAKE DR *see* WINKLES J *et al.*
Blood
collection bottles for glycated haemoglobin measurement: correspondence **197**
neonatal, reduction to eliminate error by oxygen saturation, in carboxyhaemoglobin measurement **237**
BLUNT SM *see* BUTT WR and BLUNT SM
Body composition, and plasma creatine kinase activity **389**
BOER NC DEN *see* DEN BOER NC
BOLTON R *see* BANNISTER P *et al.*
Bone density and cortical thickness in nutritional vitamin D deficiency, effect of secondary hyperparathyroidism **271**
BOOK REVIEWS:
Geigy Scientific Tables, 8th edition. vol. 4: *biochemistry, metabolism of xenobiotics, inborn errors of metabolism, pharmacogenetics and ecogenetics* 1987 **332**
GIBSON GG and SKETT P: *Introduction to drug metabolism* 1986 **332**
HEIDLAND A, QUELLHORST E, HEIDBREDER E, RITZ E and MASSRY SG editors: *Contributions to nephrology*. vol. 50. *Hormonal and metabolic derangements in renal failure* 1986 **333**
SUELTER CH: *A practical guide to enzymology* 1986 **332**
ULDALL A: *Quality assurance in clinical chemistry* 1987 **333**
BORLAND W *see* BALLANTYNE FC *et al.*
BROADBENT M *see* MONSON JP *et al.*
BROCKLEBANK JT *see* JACKSON PJ *et al.*
BROMBACHER PJ, HENKEL E, KESSLER AC and VAN DIEIJEN-VISSER MP: Multicentre study of a new test for TSH-screening in blood spots **530**
Bromocresol green or purple, serum albumin by dye-binding **417**
BRUINING GJ *see* DE BEAUFORT CE *et al.*
BUCKLEY BM and RUSSELL LJ: The measurement of ionised calcium in blood plasma: review article **447**
see also MANN SW *et al.*
RUSSELL LJ *et al.*
BULLOCK DG *see* BACCHUS RA *et al.*
BURKE JF *see* ARMSTON AE *et al.*
Burn associated proteinuria **53**
BURNETT D, AYERS GJ, RUMJEN SC and WOODS TF: Sodium measurements in the presence of paraproteins by four direct ISE methods and flame photometry compared **102**
BURRIN JM: Quality assurance of hormone analyses: review article **340**
BUTLER J, MOORE P, MIELI-VERGANI G and MONIZ C: Serum free thyroxine and free tri-iodothyronine in normal children **536**
see also SMITH CR *et al.*
BUTT WR and BLUNT SM: The role of the laboratory in the investigation of infertility: review article **601**
BUYZERE M DE *see* DE BUYZERE M

C-peptide, urinary, and diabetes in childhood **552**
Caffeine, theophylline and heart rate, relationship between, neonates **408**
Calcium
ionised *see* Ionised calcium
metabolism disorders, intact molecule parathyroid hormone **367**
serum, measurement, new colorimetric method using zinc-zincon indicator: correspondence **444**
CALVIN J, NEALE G, FOTHERBY KJ and PRICE CP: The relative merits of acute phase proteins in the recognition of inflammatory conditions **60**
CANDLISH JK *see* THO LL *et al.*
Carboxyhaemoglobin, neonatal blood measurement and blood reduction **237**
Cardiopulmonary bypass surgery, paediatric, plasma ionised calcium concentration changes during: review article **226**
Carotenoids, serum retinol separation, using normal phase disposable cyano columns **114**
CARPENTER P *see* SPENCER K and CARPENTER P
CARTER GD *see* EDEN JA *et al.*
RATCLIFFE WA *et al.*
Catecholamines
assay, urinary, by HPLC, *in vitro* interference by some drugs: short report **583**
in whole blood, in vitro stability: short report **585**
Centrifugal analyser, simple enzymic method for measurement of magnesium in serum and urine **162**
Cerebrospinal fluid, unconcentrated, ultrasensitive staining for proteins after agarose electrophoresis **116**
CERIOTTI F, DE LUCA U, FRANZINI C, PRENCIPE L and RIZZA V: Serum amylase activity determination: commutability of control materials in a new method **424**
Chemiluminescence enzyme immunoassay
enhanced, for serum oestradiol **288**
for progesterone in plasma incorporating acridinium ester labelled antigen **27**

Cholesterol and triglycerides in blood, determination, comparison between methods **176**
CHOWNS J *see* MONSON JP *et al.*
Chromatography, affinity, glycosylated haemoglobin, in children: correspondence **197**
CLAGUE AE *see* BARR AE *et al.*
CLARKE A *see* DILLEY CM and CLARKE A
Clinical biochemistry
measurement of urate, analytical reviews: review article **484**
service, oestradiol assays: review article **466**
external quality assessment scheme, Middle East **560**
COLE DA *see* BARR AE *et al.*
COLE TJ *see* BINGHAM SA *et al.*
COLLINSON PO, ROSALKI SB, FLATHER M, WOLMAN R and EVANS T: Early diagnosis of myocardial infarction by timed sequential enzyme measurements **376**
Computer programme, for evaluation of diagnostic tests **411**
CONGDON PJ *see* NADKARNI S *et al.*
Contraceptives, oral, containing desogestrel or levonorgestrel, salivary and plasma free testosterone, and androstenedione levels **354**
COOK JGH *see* LYFAR V *et al.*
COOMBES EJ *see* COOPER JDH *et al.*
COOPER EH *see* JACKSON PJ *et al.*
COOPER JDH, TURNELL DC, GREEN B, WRIGHT DJ and COOMBES EJ: Why the assay of serum cystine by protein precipitation and chromatography should be abandoned **577**
COOPER MACS *see* GOSLING P *et al.*
Coronary artery disease, and long-term haemodialysis, black patients **242**
COXON R *see* GALLACHER G *et al.*
COXON RE, GALLACHER G, LANDON J and RAE C: Development of a specific polarisation fluoroimmunoassay for paracetamol in serum **49**
CRAFT AW *see* DALE G *et al.*
Creatine
determinations as early marker for diagnosis of acute myocardial infarction **383**
kinase activity, reactivation by preincubation with buffered N-acetyl cysteine diluent **181**
plasma, activity, and body composition **389**
Creatinine, serum
determination, kinetic Jaffé method, negative interference: short report **112**
and SST tubes: correspondence **118**
and urine, and creatinine clearance, biological variation, interpretation **259**
CRUICKSHANK AM, BALLANTYNE FC and SHENKIN A: Negative interference in a kinetic Jaffé method for serum creatinine determination: short report **112**
CUMMINGS JH *see* BINGHAM SA *et al.*
CUMMINGS ST and FRASER CG: Variability of capillary plasma glucose in healthy individuals in repeated 75g oral glucose tolerance tests **634**
CUNNINGHAM SK and MCKENNA TJ: Evaluation of an immunoassay for plasma sex hormone-binding globulin: comparison with steroid-binding assay under physiological and pathological conditions **360**
CUSICK PE *see* FRY IDR *et al.*
Cyclosporin, measurement **510**
Cystine, serum, assay by protein precipitation and chromatography should be abandoned **577**

DALE G, MCGILL AC, SEVIOUR JA and CRAFT AW: Urinary excretion of HMMA and HVA in infants **233**
DANDONA P *see* FONSECA V *et al.*
DAVIDSON DF: Urinary catecholamine assay by HPLC: *in vitro* interference by some drugs: short report **583**
DAVIDSON H *see* BALLANTYNE FC *et al.*
DAVIES G *see* BAINES M and DAVIES G
DAVISON H *see* TRINICK T *et al.*
DAWLING S and WIDDOP B: Use and abuse of the Toxi-Lab TLC system: short report **708**
DAWSON CM, WANG TWM, RAINBOW SJ and TICKNER TR: A non-extraction HPLC method for the simultaneous determination of serum paracetamol and salicylate **661**
DC plasma emission spectrometry, aluminium serum measurement **169**
DE BEAUFORT CE, DEN BOER NC, BRUINING GJ, EILERS GAM, VAN STRIK R and WETERINGS T: Urinary C-peptide: A useful tool for evaluating the endogenous insulin reserve in cohort and longitudinal studies of diabetes in childhood **552**
DE BUYZERE M *see* DELANGHE J *et al.*
DE LUCA U *see* CERIOTTI F *et al.*
DE SCHEERDER I *see* DELANGHE J *et al.*
DEACON AC: Performance of screening tests for porphyria **392**
DEEGAN T *see* RAWLINGS AV and DEEGAN T
DELANGHE J, DE BUYZERE M, DE SCHEERDER I, VOGELAERS D, VANDENBOGAERDE J, VAN DEN ABEELE A-M, GHEERAERT P and WIEME R: Creatine determinations as an early marker for the diagnosis of acute myocardial infarction **383**
DEN ABEELE A-M VAN *see* VAN DEN ABEELE A-M
DEN BOER NC *see* DE BEAUFORT CE *et al.*
DHAINAUT JF *see* LEFEVRE G *et al.*
Diabetes
haemoglobin A_1 in diagnosis of factitious remission **150**
insulin-dependent, long-term performance of fructosamine assay **627**
serum fructosamine reflecting levels of glycated serum albumin **432**
markers, correlates with erythrocytic enzymes decomposing reactive oxygen species **426**
microalbuminuria, simple side-room test to screen: correspondence **590**
post-convulsive lactic acidosis: short report **327**
and urinary C-peptide in childhood **552**
DIEIJEN-VISSER MP VAN *see* VAN DIEIJEN-VISSER MP
DILLEY CM and CLARKE A: The amerlite thyrotrophin (TSH) assay: correspondence **194**
DNA probes for low-density lipoprotein receptor gene in diagnosis of familial hypercholesterolaemia **142**
DOMINICZAK MH, MACRURY SM, ORRELL JM and PATERSON KR: Long-term performance of the fructosamine assay **627**
DONNAN SPB *see* SWAMINATHAN R *et al.*
DOWSETT M *see* RATCLIFFE WA *et al.*

DREAL P VAN *see* VAN DREAL P
Drugs
in vitro interference, urinary catecholamine assay by HPLC: short report **583**
therapeutic, monitoring, audit: personal view **121**

EATON RH, ROBERTSON JI and TEMPLETON JG: The detection and quantitation of paraproteins in a quality assessment scheme: short report **110**
EDEN JA, CARTER GD, JONES J, ALAGHBAND-ZADEH J and PAWSON M: Factors influencing the free androgen index in a group of subfertile women with normal ovaries **350**
PLACE J, CARTER GD, JONES J, ALAGHBAND-ZADEH J and PAWSON M: Elevated free androgen index as an indicator of polycystic ovaries in oligomenorrhoea without obesity or hirsuties **346**
EDWARDS MA, GRANT S and GREEN A: A practical approach to the investigation of amino acid disorders: review article **129**
EILERS GAM *see* DE BEAUFORT CE *et al.*
EL FAKHRI M *see* SHERIFF DS and EL FAKHRI M
EL-GAMAL BA, EREMIN SA, SMITH DS and LANDON J: Development of a direct fluoroimmunoassay for serum levels of 17-hydroxyprogesterone **35**
ELDEEB BB *see* WORTHINGTON DJ *et al.*
ELDER PA *see* YEO KHJ *et al.*
ELISA method for 17α-hydroxyprogesterone automated solid-phase, using microtitre plate **293**
Enolase, maternal serum neurone specific in diagnosis of anencephaly and neural tube defects **668**
Enzyme
activity measurements, standardisation: guest editorial **1**
inhibition assay for methotrexate, development and evaluation **516**
measurements, timed sequential, myocardial infarction early diagnosis **376**
simple, for measurement of magnesium in serum and urine on centrifugal analyser **162**
EREMIN SA *see* EL-GAMAL BA *et al.*
Errata **118, 198**
Erythrocyte
acetylcholinesterase in alcoholics: correspondence **444**
hydroxymethylbilane synthase activity in Chinese family with acute intermittent porphyria: short report **706**
size distribution histograms, evaluation, the fraction of microcytes **680**
effects due to sphering **673**
thiamin diphosphate evaluation, indicator of thiamin status **698**
Ethylene glycol, measurement in biological specimens: correspondence **589**
EVANS SE *see* MCDOWELL B *et al.*
EVANS SJ and LONGLAND PW: The oral glucose tolerance test—an assessment of the quality of its performance: correspondence **589**
EVANS T *see* COLLINSON PO *et al.*
External quality assessment scheme for total bilirubin **78**
Extra-laboratory testing *see* Near-patient testing facilities
Extracellular body fluids, HPLC analysis of 6-mercaptopurine and metabolites **504**

FAKHRI M EL *see* EL FAKHRI M
FALKENSSON M, LUNDQUIST P, ROSLING H and SÖRBO B: A simple method for determination of plasma thiocyanate **422**
Familial hypercholesterolaemia, diagnosis using DNA prones for low-density lipoprotein receptor gene **142**
FAYE S *see* BANNISTER P *et al.*
NADKARNI S *et al.*
FERNANDES L *see* LYFAR V *et al.*
Ferroxidase activity, automated method for kinetic measurement **250**
Fetoplacental function tests, biochemical, assessment of value in detecting intrauterine growth retardation **264**
FIFIELD R: Total IgE and allergen-specific IgE assays: correspondence reply **196**
Flame photometry, and ion-selective electrode methods compared, for sodium measurements in presence of paraproteins **102**
FLATHER M *see* COLLINSON PO *et al.*
FLETCHER SJ and BACCHUS RA: A simple improved method for the measurement of cyclosporin by liquid-liquid extraction of whole blood and isocratic HPLC **510**
Fluorescence-labelled immunosorbent assay, detection of antibodies to human immunodeficiency virus **522**
Fluoroimmunoassay
direct, for serum levels of 17-hydroxyprogesterone, development **35**
for paracetamol, design of immunogen and label **42**
specific polarisation, for paracetamol in serum, development **49**
FONSECA V, AGNEW JE, NAG D and DANDONA P: Bone density and cortical thickness in nutritional vitamin D deficiency: effect of secondary hyperparathyroidism **271**
FOOTE JW and HINKS LJ: Zinc absorption in haemodialysis patients **398**
FOTHERBY KJ *see* CALVIN J *et al.*
FRANZINI C *see* CERIOTTI F *et al.*
FRASER CG *see* CUMMINGS ST and FRASER CG
GOWANS EMS and FRASER CG
Free fatty acids and lactate uptake, human heart during severe sepsis **546**
FRIEDL W *see* HOULSTON R and FRIEDL W
Fructosamine
assay, long-term performance **627**
serum, effect of calibration on between-laboratory variation **435**
reflecting glycated serum albumin in insulin-dependent diabetics **432**
in overt and treated thyroid disease: short report **587**
FRY IDR, CUSICK PE, ALSTON WC, MONTGOMERY B and TOVEY JE: The acidification response of normal subjects to ammonium chloride using a 3-day loading test **403**

GALLACHER G, COXON R, LANDON J, RAE CJ and ABUKINESHA R: Design of the immunogen and label for use in a fluoroimmunoassay for paracetamol **42**
see also COXON RE *et al.*
GAMAL BA EL- *see* EL-GAMAL BA
GEORGE CRP: When is serum albumin worth measuring?: correspondence **445**
GHEERAERT P *see* DELANGHE J *et al.*
GIMLETTE TMD *see* SQUIRE CR and GIMLETTE TMD
Glucose tolerance test, oral
quality assessment of performance: correspondence **589**
75g, variability of capillary plasma glucose in healthy individuals **634**
Glycated serum albumin, and serum fructosamine in insulin-dependent diabetics **432**
Glycosylated proteins in insulinoma: short report **440**
GOLDFINCH ME and MAGUIRE GA: Investigation of the use of bilirubin oxidase to measure the apparent unbound bilirubin concentration in human plasma **73**
GOSLING P, SUTCLIFFE AJ, COOPER MACS and JONES AF: Burn and trauma associated proteinuria: the role of lipid peroxidation, renin and myoglobin **53**
GOWANS EMS and FRASER CG: Biological variation of serum and urine creatinine and creatinine clearance: ramifications for interpretation of results and patient care **259**
GRANT S *see* EDWARDS MA *et al.*
Graves' thyrotoxicosis, males, changes in sex steroid and gonadotrophin concentrations during treatment: short report **330**
GRAY TA and PATERSON CR: The clinical value of ionised calcium assays: review article **210**
GREEN A: When and how should we measure plasma ammonia?: review article **199**
see also EDWARDS MA *et al.*
MANN SW *et al.*
MANN SW and GREEN A
WORTHINGTON DJ *et al.*
GREEN B *see* COOPER JDH *et al.*

HABOUBI NA: Erythrocyte acetylcholinesterase in alcoholics: correspondence reply **445**
Haemodialysis
long-term, effects, chronic renal failure, black patients **242**
zinc absorption **398**
Haemoglobin
A_1 in diagnosis of factitious remission of diabetes **150**
glycated, measurement, blood collection bottles for: correspondence **197**
by affinity chromatography, in children: correspondence **197**
Haemolysis and plasma alkaline phosphatase activity: short report **192**
HAINSWORTH IR *see* ROOKE R and HAINSWORTH IR
HALE PJ, TURNER GN and NATTRASS M: Glycosylated proteins in patients with insulinoma: short report **440**
see also KRENTZ AJ *et al.*
HALLWORTH MJ: Audit of therapeutic drug monitoring: personal view **121**
HAMMOND EM *see* WORTHINGTON DJ *et al.*
HANNING I *see* SETH J *et al.*
HARTLEY PS *see* NICHOLSON NA *et al.*
HASLOCK I *see* WEBB BA *et al.*
HASSAN M *see* AL-AWQATI MA and HASSAN M
HAY AWM *see* NADKARNI S *et al.*
HAYES T *see* TRINICK T *et al.*
Heart rate, theophylline and caffeine, relationship between, neonates **408**
HEELEMAN PW *see* BARTELS PC *et al.*
HENDERSON AR *see* PELLAR TG *et al.*
HENEY D *see* JACKSON PJ *et al.*
HENKEL E *see* BROMBACHER PJ *et al.*
Hepatic and renal disease, immunoturbidimetric measurement of serum retinal-binding protein **246**
HEYNINGEN C VAN *see* VAN HEYNINGEN C
HILL RP: The effect of calibration on the between-laboratory variation of serum fructosamine **435**
HILLIER SG *see* RATCLIFFE WA *et al.*
HINKS LJ *see* FOOTE JW and HINKS LJ
HO CS *see* SWAMINATHAN R *et al.*
HOFF W VAN'T *see* VAN'T HOFF W
Homovanillic acid and 4-hydroxy-3-methoxymandelic acid, urinary excretion, in infants **233**
Hormone analyses, quality assurance: review article **340**
Hormone-binding globulin, sex, plasma, evaluation of immunoassay **360**
HOUGHTON BJ *see* MONSON JP *et al.*
HOULSTON R and FRIEDL W: Biochemistry and clinical significance of lipoprotein (a): review article **499**
HOWELL MJ *see* TSANG WM *et al.*
HPLC
analysis, 6-mercaptopurine and metabolites in extracellular body fluids **504**
cyclosporin measurement **510**
non-extraction method for simultaneous determination of serum paracetamol and salicylate **661**
urinary catecholamine assay, *in vitro* interference by some drugs: short report **583**
HSIAO KJ *see* LEE FY *et al.*
Human chorionic gonadotropin, small scale sandwich enzyme immunoassay, using a new microtransferable plastic bead as solid phase **645**
Human immunodeficiency virus, detection of antibodies by fluorescence-labelled immunosorbent assay **522**
HUNTER WM *see* SETH J *et al.*
HUYGHEBAERT MF *see* LEFEVRE G *et al.*
4-Hydroxy-3-methoxymandelic acid and homovanillic acid, urinary excretion, in infants **233**
16α-Hydroxydehydroepiandrosterone sulphate, urinary, in antenatal detection of placental steroid sulphatase deficiency **155**
17α-Hydroxyprogesterone
automated solid-phase, ELISA method using microtitre plate **293**
development of direct fluoroimmunoassay for serum levels **35**
Hypercalcaemia, region-specific parathyroid hormone assays in investigation, diagnostic limitations **275**

Hyperparathyroidism, secondary, effect on bone density: and cortical thickness in nutritional vitamin D deficiency **271**
Hypo-albuminaemia, measurement in nephrotic syndrome: correspondence **445**
Hypothyroidism, primary, biological activity of serum prolactin **540**
Hypouricaemic effect of tiaprofenic acid **595**

Immunogens, design, for fluoroimmunoassay for paracetamol **42**
Immunoglobulin E, total, and allergen-specific IgE assays: correspondence **195**
Immunonephelometry, end-point, for measurement of albumin urine: short report **442**
Immunoradiometric assay, two-site, for intact parathyroid hormone, clinical and laboratory evaluation **654**
Immunoturbidimetric measurement
of beta–2 microglobulin in serum and plasma on centrifugal analyser **67**
of serum retinol-binding protein in renal and hepatic disease **246**
Infertility, role of laboratory in investigation: review article **601**
Inflammatory conditions, relative merits of acute phase proteins in recognition **60**
Insulinoma, glycosylated proteins in: short report **440**
Intrauterine growth retardation, biochemical feto-placental function tests, assessment of value in detecting **264**
^{125}Iodine-aMT6s tracer for 6-sulphatoxymelatonin **298**
Ion-selective electrode-flame differences, minimising in plasma sodium and potassium measurement **96**
and flame photometry compared, for sodium measurements in presence of paraproteins **102**
Ionised calcium
blood plasma, measurement: review article **447**
changes during paediatric cardiopulmonary bypass surgery: review article **226**
assays, clinical value: review article **210**
effects of isotonic potassium chloride liquid junction **228**
Iron-dextran, measurement of serum unsaturated iron-binding capacity in presence of: short report **325**
ISE *see* Ion-selective electrode
Isotonic potassium chloride liquid junction minimises effects of ionic strength, protein and haematocrit on ionised calcium measurement **228**
IVERSEN SA *see* ARMSTON AE *et al.*

JACKSON PJ, SAMPSON CJ, COOPER EH, HENEY D and BROCKLEBANK JT: Analysis of proteinuria using a commercial system for automated electrophoresis and isoelectric focusing **319**
JAMES DR *see* PRICE CP and JAMES DR
JENG HS *see* LEE FY *et al.*
JENNINGS A *see* PENNY AF and JENNINGS A
JOFFE BI *see* SEFTEL HC *et al.*
JOHNSON KR: An external quality assessment scheme for total bilirubin **78**
JONES AF *see* GOSLING P *et al.*
WINKLES J *et al.*
JONES J *see* EDEN JA *et al.*
JONES PHM *see* WORTHINGTON DJ *et al.*

KARABUS CD *see* NICHOLSON NA *et al.*
KE D-R *see* RUAN K-H and KE D-R
KEIR G and THOMPSON EJ: Ultrasensitive staining for proteins after agarose electrophoresis of un-concentrated cerebrospinal fluid: short report **116**
KELLY MG: Development and evaluation of an enzyme inhibition assay for methotrexate **516**
KESSLER AC *see* BROMBACHER PJ *et al.*
KIND CN: The measurement of serum unsaturated iron-binding capacity in the presence of iron-dextran: short report **325**
Kinetic Jaffé method for serum creatinine determination, negative interference: short report **112**
KING ME *see* RIFAI N *et al.*
KLEIN M *see* NICHOLSON NA *et al.*
KOZUB J, MILBORROW BV and NETTING AG: Separation of serum retinol from carotenoids using normal phase disposable cyano columns: short report **114**
KRENTZ AJ: Post-convulsive lactic acidosis in diabetic patients: short report **327**
HALE PJ, ALBUTT EC and NATTRASS M: HbA_1 in the diagnosis of factitious remission of diabetes **150**
KRICKA LJ *see* SANKOLLI GM *et al.*

Laboratory, extra-, testing *see* Near-patient testing facilities
Lactate uptake, and free fatty acids, human heart during severe sepsis **546**
Lactic acidosis, post-convulsive, in diabetic patients: short report **327**
LANDON J *see* COXON RE *et al.*
EL-GAMAL BA *et al.*
GALLAGHER G *et al.*
Lead toxicity, intra-erythrocytic low molecular weight lead-binding protein in chronic lead exposure and possible protective role **688**
LEE FY, HSIAO KJ, TSAI YT, LEE SD, WU SJ and JENG HS: Erythrocyte hydroxymethylbilane synthase activity in a Chinese family with acute intermittent porphyria: short report **706**
LEE SD *see* LEE FY *et al.*
LEFEVRE G, DHAINAUT JF, TALLET F, HUYGHEBAERT MF, YONGER J, MONSALLIER JF and RAICHVARG D: Individual free fatty acids and lactate uptake in the human heart during severe sepsis **546**
LEUNG FY *see* PELLAR TG *et al.*
LEWIS JG *see* YEO KHJ *et al.*
Libyan population, Benghazi, tea consumption and serum lipids **670**
Light scattering intensity, and red blood cell size distribution histograms due to sphering **673**
Likelihood ratios, computer programme, diagnostic test evaluation **411**
Lipids, serum, and tea consumption, Libyan population, Benghazi **670**
Lipoprotein (a), biochemistry and clinical significance: review article **499**

LITTLE D *see* MCDOWELL B *et al.*
Liver disease, chronic, thyroid function, simplified scheme for investigation **373**
LLOYD DR and MARPLES J: Serum fructosamine does reflect levels of glycated serum albumin in insulin-dependent diabetics **432**
LOLIN Y and O'GORMAN P: An intra-erythrocytic low molecular weight lead-binding protein in acute and chronic lead exposure and its possible protective role in lead toxicity **688**
LONGLAND PW *see* EVANS SJ and LONGLAND PW
LORENTZE WB *see* SHIHABI ZK *et al.*
Low-density lipoprotein receptor gene, familial hypercholesterolaemia diagnosis using DNA probes **142**
LUCA U DE *see* DE LUCA U
LUNDQUIST P *see* FALKENSSON M *et al.*
LUNEC J *see* WINKLES J *et al.*
LYFAR V, FERNANDES L, THORNTON E and COOK JGH: A study of the hypouricaemic effect of tiaprofenic acid: Ames Award-Winning Lecture, 1987 **595**

MCDOWELL B, EVANS SE, WEAVER JB and LITTLE D: An assessment of the value of biochemical feto-placental function tests in detecting intrauterine growth retardation **264**
MCGILL AC *see* DALE G *et al.*
MCGINLAY JM and PAYNE RB: Serum albumin by dye-binding: bromocresol green or bromocresol purple? The case for conservatism **417**
MCKENNA TJ *see* CUNNINGHAM SK and MCKENNA TJ
MACRURY SM *see* DOMINICZAK MH *et al.*
Magnesium in serum and urine, simple enzymic method for measurement on centrifugal analyser **162**
MAGUIRE GA *see* GOLDFINCH ME and MAGUIRE GA
MANN JR *see* WORTHINGTON DJ *et al.*
MANN SW and GREEN A: A new colorimetric method for the measurement of serum calcium using a zinc-zincon indicator: correspondence **444**
BUCKLEY BM, ROBERTS KD and GREEN A: Changes in plasma ionised calcium concentration during paediatric cardiopulmonary bypass surgery: review article **226**
MARINKOVICH VA: Total IgE and allergen-specific IgE assays: correspondence **195**
MARKS V: Essential considerations in the provision of near-patient testing facilities: review article **220**
see also MIDDLETON BA *et al.*
MARPLES J *see* LLOYD DR and MARPLES J
MAWSON RJ *see* WILMOT RL *et al.*
MEHTA S and SPENCER K: Antenatal diagnosis of neural tube defects using a coated bead immunoassay for acetylcholinesterase in amniotic fluid **569**
MENDELSOHN D *see* SEFTEL HC *et al.*
6-Mercaptopurine and metabolites in extracellular body fluids, HPLC analysis **504**
Meta- and para-tyramine, urinary, analysis **304**
Methotrexate, enzyme inhibition assay, development and evaluation **516**
MEULENBERG PMM *see* SWINKELS LMJW *et al.*
Microalbuminuria in diabetes mellitus, simple side-room test to screen: correspondence **590**
Micro-transferable plastic bead as solid phase in human chorionic gonadotropin small scale sandwich enzyme immunoassay **645**
MIDDLE JG *see* RATCLIFFE WA *et al.*
MIDDLETON BA, MORGAN LM, AHERNE GW and MARKS V: The effect of storage temperature and physical state on the performance of antisera in radioimmunoassay after long-term storage **89**
MIELI-VERGANI G *see* BUTLER J *et al.*
MILBORROW BV *see* KOZUB J *et al.*
MILLER AL *see* TSANG WM *et al.*
MILLER SA, MORTON MS and TURKES A: Chemiluminescence immunoassay for progesterone in plasma incorporating acridinium ester labelled antigen **27**
MILLS RJ *see* WATERSON MJ and MILLS RJ
Monitoring, therapeutic drug, audit: personal view **121**
MONIZ C *see* BUTLER J *et al.*
MONSALLIER JF *see* LEFEVRE G *et al.*
MONSON JP, BARGE A, CHOWNS J, BROADBENT M, NOONAN K, TEMPLE RC and HOUGHTON BJ: Changes in sex steroid and gonadotrophin concentrations during treatment of Graves' thyrotoxicosis in males: short report **330**
MONTGOMERY B *see* FRY IDR *et al.*
MOORE P *see* BUTLER J *et al.*
MORGAN LM *see* MIDDLETON BA *et al.*
MORTON MS *see* MILLER SA *et al.*
MOSS D: The standardisation of enzyme activity measurements: guest editorial **1**
Myocardial infarction
acute, creatine determinations as early marker for diagnosis **383**
early diagnosis by timed sequential enzyme measurements **376**

N-acetyl cysteine diluent, creatine kinase activity reactivated by preincubation with **181**
NADKARNI S, HAY AWM, FAYE S and CONGDON PJ: The relationship between theophylline, caffeine and heart rate in neonates **408**
NAG D *see* FONSECA V *et al.*
NATTRASS M *see* HALE PJ *et al.*
KRENTZ AJ *et al.*
Near-patient testing facilities, essential considerations in provision: review article **220**
Nephrotic syndrome, serum albumin measurements: correspondence **445**
NETTING AG *see* KOZUB J *et al.*
Neural tube defects
antenatal diagnosis, coated bead immunoassay for acetylcholinesterase in amniotic fluid **569**
maternal serum neurone specific enolase in diagnosis **668**
Neuroblastoma, normal urinary catecholamines and their metabolites **620**
Neurone specific enolase in amniotic fluid, potential marker of anencephaly **85**
NEWMAN DJ and ASHBY JP: Clinical and laboratory evaluation of a two-site immunoradiometric assay for intact parathyroid hormone **654**

NICHOLSON NA, KARABUS CD, KLEIN M and HARTLEY PS: Reduction of neonatal blood eliminates the error induced by oxygen saturation in the spectrophotometric measurement of carboxyhaemoglobin **237**
NOONAN K *see* MONSON JP *et al.*
D-Norgestrel levels in human plasma, sensitive direct radioimmunoassay for assessing **280**
NORMAN MR *see* SMITH CR *et al.*
NOY GA *see* BACCHUS RA *et al.*

OAKEY RE *see* WILMOT RL *et al.*
Oestradiol
assays, clinical biochemistry service, applications and guidelines: review article **466**
serum, enhanced chemiluminescence enzyme immunoassay **288**
O'GORMAN P *see* LOLIN Y and O'GORMAN P
ORRELL JM *see* DOMINICZAK MH *et al.*
Ovaries
normal, free androgen index **350**
polycystic, elevated free androgen index in oligomenorrhoea **346**

PANZ VR *see* SEFTEL HC *et al.*
Paracetamol
fluoroimmunoassay, design of immunogen and label **42**
and salicylate, HPLC non-extraction method for simultaneous determination **661**
in serum, development of specific polarisation fluoroimmunoassay **49**
Paraproteins in quality assessment scheme, detection and quantitation: short report **110**
Parathyroid hormone
assays, region-specific, diagnostic limitations in investigation of hypercalcaemia **275**
intact molecule, in calcium metabolism **367**
two-site immunoradiometric clinical and laboratory evaluation **654**
PATERSON CR *see* GRAY TA and PATERSON CR
PATERSON KR *see* DOMINICZAK MH *et al.*
PAWSON M *see* EDEN JA *et al.*
PAYNE RB: An isotonic potassium chloride liquid junction minimises the effects of ionic strength, protein and haematocrit on ionised calcium measurement **228**
see also MCGINLAY JM and PAYNE RB
PELLAR TG, LEUNG FY and HENDERSON AR: A computer program for rapid generation of receiver operating characteristic curves and likelihood ratios in the evaluation of diagnostic tests **411**
D-Penicillamine, plasma, in rheumatoid arthritis, identification of factors limiting accurate measurement **186**
PENNY AF and JENNINGS A: Reactivation of creatine kinase activity by preincubation with buffered NAC diluent **181**
Phase disposable cyano columns, normal, separation of serum retinol from carotenoids **114**
PLACE J *see* EDEN JA *et al.*
Porphyria
acute intermittent, erythrocyte hydroxymethylbilane synthase activity in, Chinese family: short report **706**
screening tests, performance **392**
Potassium and sodium measurement, plasma, minimising ion-selective electrode-flame differences **96**
PRENCIPE L *see* CERIOTTI F *et al.*
PRICE CP and JAMES DR: Analytical reviews in clinical biochemistry: the measurement of urate: review article **484**
see also BINGHAM SA *et al.*
CALVIN J *et al.*
Progesterone in plasma, chemiluminescence immunoassay incorporating acridinium ester labelled antigen **27**
Prolactin, serum, biological activity, in primary hypothyroidism **540**
Proteins, ultrasensitive staining, after agarose electrophoresis of unconcentrated cerebrospinal fluid **116**
Proteinuria
analysis, using commercial system for automated electrophoresis and isoelectric focusing **319**
burn and trauma associated **53**
Quality assessment scheme
external, for clinical chemistry, Middle East **560**
paraproteins, detection and quantitation: short report **110**

Radioimmunoassay for 6-sulphatoxymelatonin in urine using iodinated tracer **298**
RAE C *see* COXON RE *et al.*
RAE CJ *see* GALLACHER G *et al.*
RAICHVARG D *see* LEFEVRE G *et al.*
RAINBOW SJ *see* DAWSON CM *et al.*
RATCLIFFE WA, CARTER GD, DOWSETT M, HILLIER SG, MIDDLE JG and REED MJ: Oestradiol assays: applications and guidelines for the provision of a clinical biochemistry service: review article **466**
RATTENBURY JM and TAYLOR T: Measurement of theophylline in dried blood spots by spectrophotometric enzyme immunoassay **650**
RAWAL Y *see* TILLYER CR and RAWAL Y
RAWLINGS AV and DEEGAN T: Interference by proapolipoprotein A-I in apolipoprotein E phenotyping using chemical precipitation procedures **638**
Receiver operating characteristic curves, computer program, diagnostic test evaluation **411**
Red blood cells *see* ERYTHROCYTES
REED MJ *see* RATCLIFFE WA *et al.*
Renal and hepatic disease, immunoturbidimetric measurement of serum retinol-binding protein **246**
Retinol-binding protein, serum, immunoturbidimetric measurement, renal and hepatic disease **246**
Retinol, serum, separation from carotenoids using normal phase disposable cyano columns **114**
Rheumatoid arthritis, plasma D-penicillamine, identification of factors limiting accurate measurement **186**

RICHARDSON SJ *see* WEBB BA *et al.*

RIFAI N, KING ME and SICA DA: Effects of long-term haemodialysis on lipid, lipoprotein and apolipoprotein levels of black patients with chronic renal failure **242**
see also BANKSON DD *et al.*

RILEY C *see* ROCKS BF *et al.*

RIZZA V *see* CERIOTTI F *et al.*

ROBERTS KD *see* MANN SW *et al.*

ROBERTS NB and WILLIAMS P: Serum aluminium measurement by DC plasma emission spectrometry **169**

ROBERTSON JI *see* EATON RH *et al.*

ROCKS BF, BERTRAM VMR, BAILEY MP, RILEY C and THOM BT: Detection of antibodies to the human immunodeficiency virus by a rapid fluorescence-labelled immunosorbent assay **522**

ROIJERS AFM *see* BARTELS PC *et al.*

ROOKE R and HAINSWORTH IR: Blood collection bottles for glycated haemoglobin measurement: correspondence **197**

ROSALKI SB *see* COLLINSON PO *et al.*

ROSLING H *see* FALKENSSON M *et al.*

ROSS HA *see* SWINKELS LMJW *et al.*

ROWE DJF, WATSON ID, WILLIAMS J and BERRY DJ: The clinical use and measurement of theophylline: review article **4**

RUAN K-H and KE D-R: Small scale sandwich enzyme immunoassay for human chorionic gonadotropin using a new micro-transferable plastic bead as solid phase **645**

RUDD BT *see* SANKOLLI GM *et al.*

RUDY JL, ARGYLE JC, WINICK N and VAN DREAL P: HPLC analysis of 6-mercaptopurine and metabolites in extracellular body fluids **504**

RUMJEN SC *see* BURNETT D *et al.*

RUMLEY AG: The in vitro stability of catecholamines in whole blood: short report **585**

RUSSELL LJ, SMITH SCH and BUCKLEY BM: Plasma sodium and potassium measurement: minimising ISE-flame differences using specimens from patients **96**
see also BUCKLEY BM and RUSSELL LJ

S and Z phenotypes, various, alpha-1-antitrypsin concentrations, effect of acute phase response or pregnancy **255**

Salicylate and paracetamol, HPLC non-extraction method for simultaneous determination **661**

SAMPSON CJ *see* JACKSON PJ *et al.*

SANDLER M *see* WALKER PL and SANDLER M

SANKOLLI GM, STOTT RAW, THORPE GHG, SMITH D, RUDD BT and KRICKA LJ: An enhanced chemiluminescence enzyme immunoassay for serum oestradiol **288**

SCHEERDER I DE *see* DE SCHEERDER I

SEFTEL HC, PANZ VR, BAKER SG, JOFFE BI and MENDELSOHN D: Determination of cholesterol and triglycerides in blood: a comparison between wet chemistry methods and a dry chemistry analyser **176**

SELLMAN JD *see* ABERNETHY MH *et al.*

Sepsis, severe, free fatty acids and lactate uptake in human heart during **546**

SETH J, HANNING I, BACON RRA and HUNTER WM: Quality of performance of assays for maternal serum alphafetoprotein in the United Kingdom: evidence from the UK external quality assessment scheme 1980–87 **310**

SEVIOUR JA *see* DALE G *et al.*

SHAPIRO L *see* BANNISTER P *et al.*

SHENKIN A *see* CRUICKSHANK AM *et al.*

SHERIFF DS and EL FAKHRI M: Tea consumption and serum lipids in a Libyan population in Benghazi **670**

SHIHABI ZK and LORENTZ WB: Glycosylated haemoglobin by affinity chromatography in children: correspondence **197**

SICA DA *see* RIFAI N *et al.*

SILVERMAN LM *see* BANKSON DD *et al.*

SMITH CR, BUTLER J and NORMAN MR: Biological activity of serum prolactin in patients with primary hypothyroidism **540**

SMITH D *see* SANKOLLI GM *et al.*

SMITH DS *see* EL-GAMAL BA *et al.*

SMITH NB: Measurement of ethylene glycol in biological specimens: correspondence **589**

SMITH SCH *see* RUSSELL LJ *et al.*

Sodium
measurements in presence of paraproteins by four direct ion-selective electrode methods and flame photometry compared **102**
and potassium measurement, plasma, minimising ion-selective electrode-flame differences **96**

SOONS JBJ *see* BARTELS PC *et al.*

SÖRBO B *see* FALKENSSON M *et al.*

Spectrophotometric enzyme immunoassay, in measurement of theophylline in dried blood spots **650**

SPEIGHT JW: A simple side-room test to screen for microalbuminuria in diabetes mellitus: correspondence **590**

SPENCE CE *see* WHICHER JT and SPENCE CE

SPENCER K and CARPENTER P: Maternal serum neurone specific enolase in the diagnosis of anencephaly and other neural tube defects **668**
Neurone specific enolase in amniotic fluid: a potential marker of anencephaly **85**
see also MEHTA S and SPENCER K

Sphering, some effects on light scattering intensity, and red blood cell size distribution histograms due to **673**

SPOONER R: A simple side-room test to screen for microalbuminuria in diabetes mellitus: correspondence **590**

SQUIRE CR and GIMLETTE TMD: The amerlite thyrotrophin (TSH) assay: correspondence reply **195**

SST tubes, serum creatinine: correspondence **118**

STAMP RJ: Measurement of albumin in urine by end-point immunonephelometry: short report **442**

STEPHENSON EG *see* ABERNETHY MH *et al.*

Steroid sulphatase deficiency, placental, antenatal detection by measurement of urinary 16 α-hydroxydehydroepiandrosterone sulphate **155**

STEWART BJ *see* WATSON TG and STEWART BJ

STOTT RAW *see* SANKOLLI GM *et al.*

STRIK R VAN *see* VAN STRIK R

6-Sulphatoxymelatonin in urine, radioimmunoassay using iodinated tracer **298**

Superoxide dismutase, additional marker for long-term diabetic pathophysiology **426**
SUTCLIFFE AJ *see* GOSLING P *et al.*
SWAMINATHAN R, HO CS and DONNAN SPB: Body composition and plasma creatine kinase activity **389**
SWINKELS LMJW, MEULENBERG PMM, ROSS HA and BENRAAD TJ: Salivary and plasma free testosterone and androstenedione levels in women using oral contraceptives containing desogestrel or levonorgestrel **354**

TALLET F *see* LEFEVRE G *et al.*
TAYLOR T *see* RATTENBURY JM and TAYLOR T
Tea consumption, and serum lipids, Libyan population, Benghazi **670**
TEMPLE RC *see* MONSON JP *et al.*
TEMPLETON JG *see* EATON RH *et al.*
Testosterone, free, salivary and plasma, and oral contraceptives containing desogestrel or levonorgestrel **354**
THAI AC *see* THO LL *et al.*
THAKKAR H *see* ASHBY JP and THAKKAR H
Theophylline
caffeine and heart rate, relationship between, neonates **408**
clinical use and measurement: review article **4**
in dried blood spots measurement by spectrophotometric enzyme immunoassay **650**
Thiamin status, evaluation of erythrocyte thiamin diphosphate as indicator **698**
THORPE GHG *see* SANKOLLI GM *et al.*
Thyroid
disease, overt and treated, serum fructosamine function in chronic liver disease, simplified scheme for investigation **373**
short report **587**
Thiocyanate, plasma, simple method for determination **422**
THO LL, CANDLISH JK and THAI AC: Correlates of diabetes markers with erythrocytic enzymes decomposing reactive oxygen species **426**
THOM BT *see* ROCKS BF *et al.*
THOMPSON EJ *see* KEIR G and THOMPSON EJ
THORNTON E *see* LYFAR V *et al.*
Thyrotropin—screening in blood spots, multicentre study **530**
Thyroxine, free
levels in human serum, deprecating diagnostic significance **335**
and free tri-iodothyronine in normal children **536**
Tiaprofenic acid, hypouricaemic effect, study **595**
TICKNER TR *see* DAWSON CM *et al.*
TILLYER CR and RAWAL Y: An immunoturbidimetric method for the measurement of beta-2 microglobulin in serum and plasma on a centrifugal analyser **67**
TOVEY JE *see* FRY IDR *et al.*
Toxi-Lab TLC system, use and abuse: short report **708**
Transketolase, erythrocyte activity, compared with erythrocyte thiamin diphosphate as indicator of thiamin status **698**
Trauma associated proteinuria **53**
Triglycerides and cholesterol in blood, determination, comparison between methods **176**
Tri-iodothyronine, free, and serum free thyroxine in normal children **536**
TRINICK T, HAYES T, DAVISON H and WELSHMAN G: SST tubes and serum creatinine: correspondence **118**
TSAI YT *see* LEE FY *et al.*
TSANG WM, HOWELL MJ and MILLER AL: A simple enzymic method for the measurement of magnesium in serum and urine on a centrifugal analyser **162**
TURKES A *see* MILLER SA *et al.*
TURNELL DC *see* COOPER JDH *et al.*
TURNER GN *see* HALE PJ *et al.*

Urate measurement, clinical biochemistry, analytical reviews: review article **484**
Urine, 24-h collections, reference values for analytes **610**

VAN DIEIJEN-VISSER MP *see* BROMBACHER PJ *et al.*
VAN DEN ABEELE A-M *see* DELANGHE J *et al.*
VAN DREAL P *see* RUDY JL *et al.*
VAN HEYNINGEN C: Glycosylated haemoglobin by affinity chromatography in children: correspondence reply **197**
VAN STRIK R *see* DE BEAUFORT CE *et al.*
VAN'T HOFF W *see* BICKNELL EJ and VAN'T HOFF W
VANDENBOGAERDE J *see* DELANGHE J *et al.*
VERGANI G MIELI- *see* MIELI-VERGANI G
VISSER MP VAN DIEIJEN- *see* VAN DIEIJEN-VISSER MP
Vitamin D deficiency, nutritional, bone density and cortical thickness, effect of secondary hyperparathyroidism **271**
VOGELAERS D *see* DELANGHE J *et al.*

WALKER PL and SANDLER M: The analysis of urinary meta- and para-tyramine by gas chromatography with electron-capture detection **304**
WANG TWM *see* DAWSON CM *et al.*
WATERSON MJ and MILLS RJ: Serum fructosamine in patients with overt and treated thyroid disease: short report **587**
WATSON ID *see* ROWE DJF *et al.*
WATSON TG and STEWART BJ: A sensitive direct radioimmunoassay for assessing D-norgestrel levels in human plasma **280**
WATTS GF: A simple side-room test to screen for microalbuminuria in diabetes mellitus: correspondence reply **590**
WEAVER JB *see* MCDOWELL B *et al.*
WEBB BA, RICHARDSON SJ and HASLOCK I: Identification of factors limiting the accurate measurement of plasma D-penicillamine in rheumatoid arthritis patients **186**
WELSHMAN G *see* TRINICK T *et al.*
WETERINGS T *see* DE BEAUFORT CE *et al.*
WHICHER JT and SPENCE CE: When is serum albumin worth measuring: correspondence reply **445**
WHITEHEAD TP *see* BACCHUS RA *et al.*
WIDDOP B *see* DAWLING S and WIDDOP B
WIEME R *see* DELANGHE J *et al.*

WILLIAMS J *see* ROWE DJF *et al.*
WILLIAMS P *see* ROBERTS NB and WILLIAMS P
WILLIAMS R *see* BINGHAM SA *et al.*
WILMOT RL, MAWSON RJ and OAKEY RE: Antenatal detection of placental steroid sulphatase deficiency by measurement of urinary 16 α-hydroxydehydroepiandrosterone sulphate **155**
WINICK N *see* RUDY JL *et al.*
WINKLES J, JONES AF, WINYARD P, BLAKE DR and LUNEC J: An automated method for the kinetic measurement of ferroxidase activity **250**
WINYARD P *see* WINKLES J *et al.*
WOLMAN R *see* COLLINSON PO *et al.*
WOODMANSEY N: Total IgE and allergen-specific IgE assays: correspondence **196**
WOODS TF *see* BURNETT D *et al.*
WORTHINGTON DJ, HAMMOND EM, ELDEEB BB, GREEN A, ADDISON GM, JONES PHM and MANN JR: Neuroblastoma—when are urinary catecholamines and their metabolites 'normal'? **620**
WRIGHT DJ *see* COOPER JDH *et al.*
WU SJ *see* LEE FY *et al.*

YEO KHJ, ELDER PA and LEWIS JG: An automated solid-phase 17 α-hydroxyprogesterone ELISA method using a microtitre plate **293**
YONGER J *see* LEFEVRE G *et al.*

Z and S phenotypes, various, alpha-1-antitrypsin concentrations, effect of acute phase response or pregnancy **255**
ZADEH J ALAGHBAND- *see* ALAGHBAND-ZADEH J
Zinc absorption in haemodialysis **398**
Zinc-zincon indicator for new colorimetric method measurement of serum calcium: correspondence **444**